EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S231	56	(US-20050005261-$ or US-20030065533-$ or US-20030221184-$ or US-20050044197-$ or US-20020184401-$ or US-20040025110-$ or US-20040015834-$ or US-20030196168-$ or US-20020165872-$ or US-20030098880-$ or US-20030014439-$ or US-20020161688-$ or US-20020108101-$ or US-20030149934-$ or US-20040015829-$ or US-20040177093-$ or US-20020059566-$ or US-20040210913-$ or US-20030233365-$ or US-20030105837-$ or US-20050050311-$ or US-20040210554-$ or US-20040133855-$ or US-20030208473-$ or US-20030037181-$ or US-20020152283-$).did. or (US-20020099738-$ or US-20020104068-$).did. or (US-7099727-$ or US-7076766-$ or US-7043732-$ or US-7028306-$ or US-6964053-$ or US-6560633-$ or US-6889360-$ or US-6874146-$ or US-6415275-$ or US-7188332-$ or US-7114149-$ or US-7058886-$ or US-7103600-$ or US-7043481-$ or US-7426521-$ or US-6920461-$ or US-6327698-$ or US-5848273-$ or US-7000219-$ or US-7086065-$ or US-7210097-$ or US-7693973-$ or US-6408311-$ or US-6636242-$ or US-7152228-$ or US-7559066-$).did. or (US-6901585-$ or US-7143101-$).did.	US-PGPUB; USPAT	OR	ON	2011/12/07 12:16
S232	3	S231 and UML and XML and marshall$4 and (reflection discovery plug-in)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/07 12:17
S233	11	((XML and model) UML) same (SAX XMI pars$4 DOM) same (generat$4 with ((marshalling proxy) near4 (code class)) and (schema XML))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/07 15:11
S234	1	S233 and @rlad< "20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/07 15:11

S23 5	11	((XML and model) UML) same (SAX XMI pars$4 DOM) same ((generat$4 with ((marshalling proxy) near4 (code class)) and (schema XML)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 09:38
S23 6	2	"20010018717"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 10:25
S23 7	2	"6678712".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 10:26
S23 8	70	((XML and model) UML) same (SAX XMI pars$4 DOM) not S235 and ((generat$4 with ((instrospect$3 marshalling proxy accessor) near4 (code class object function)) and (schema XML)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 10:56
S24 0	8	S238 and (XMI JDOM DOM SAX) and (XML near5 schema) and @rlad< "20030930"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 10:58
S24 1	62	S238 not S240	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 10:58
S24 2	2	"20020015042".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 11:01

S24 4	0	S242 and (XMI JDOM DOM SAX) and (XML near5 schema)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 11:02
S24 5	1	S242 and ((XML and model) UML) and (SAX XMI pars$4 DOM) not S235 and ((generat$4 with ((instrospect$3 marshalling proxy accessor) near4 (code class object function)) and (schema XML)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 11:02
S24 6	59	(US-20050005261-$ or US-20030065533-$ or US-20030221184-$ or US-20050044197-$ or US-20020184401-$ or US-20040025110-$ or US-20040015834-$ or US-20030196168-$ or US-20020165872-$ or US-20030098880-$ or US-20030014439-$ or US-20020161688-$ or US-20020108101-$ or US-20030149934-$ or US-20040015829-$ or US-20040177093-$ or US-20020059566-$ or US-20040210913-$ or US-20030233365-$ or US-20030105837-$ or US-20050050311-$ or US-20040210554-$ or US-20040133855-$ or US-20030208473-$ or US-20030037181-$ or US-20020152283-$).did. or (US-20020099738-$ or US-20020104068-$ or US-20020015042-$ or US-20030208505-$ or US-20030163603-$).did. or (US-7099727-$ or US-7076766-$ or US-7043732-$ or US-7028306-$ or US-6964053-$ or US-6560633-$ or US-6889360-$ or US-6874146-$ or US-6415275-$ or US-7188332-$ or US-7114149-$ or US-7058886-$ or US-7103600-$ or US-7043481-$ or US-7426521-$ or US-6920461-$ or US-6327698-$ or US-5848273-$ or US-7000219-$ or US-7086065-$ or US-7210097-$ or US-7693973-$ or US-6408311-$ or US-6636242-$ or US-7152228-$ or US-7559066-$).did. or (US-6901585-$ or US-7143101-$).did.	US-PGPUB; USPAT	OR	ON	2011/12/08 15:58
S24 7	4	S246 and ((UML and XML) same (SAX XMI DOM JDOM)) and (((proxy marshall$3) and access$4) with(class (API java)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 16:04

S248	0	S247 and (proxy and marshal$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 16:37
S249	6	S246 and (proxy and marshal$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 16:37
S250	4	S246 not S247 and (XML same (SAX XMl DOM JDOM)) and (((proxy marshall$3) and access$4) with(class (API java)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 16:39
S251	5	S246 and (((SAX XMl) and XPath) and DOM) same XML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/08 16:47

| S25 2 | 59 | (US-20050005261-$ or US-20030065533-$ or US-20030221184-$ or US-20050044197-$ or US-20020184401-$ or US-20040025110-$ or US-20040015834-$ or US-20030196168-$ or US-20020165872-$ or US-20030098880-$ or US-20030014439-$ or US-20020161688-$ or US-20020108101-$ or US-20030149934-$ or US-20040015829-$ or US-20040177093-$ or US-20020059566-$ or US-20040210913-$ or US-20030233365-$ or US-20030105837-$ or US-20050050311-$ or US-20040210554-$ or US-20040133855-$ or US-20030208473-$ or US-20030037181-$ or US-20020152283-$).did. or (US-20020099738-$ or US-20020104068-$ or US-20020015042-$ or US-20030208505-$ or US-20030163603-$).did. or (US-7099727-$ or US-7076766-$ or US-7043732-$ or US-7028306-$ or US-6964053-$ or US-6560633-$ or US-6889360-$ or US-6874146-$ or US-6415275-$ or US-7188332-$ or US-7114149-$ or US-7058886-$ or US-7103600-$ or US-7043481-$ or US-7426521-$ or US-6920461-$ or US-6327698-$ or US-5848273-$ or US-7000219-$ or US-7086065-$ or US-7210097-$ or US-7693973-$ or US-6408311-$ or US-6636242-$ or US-7152228-$ or US-7559066-$).did. or (US-6901585-$ or US-7143101-$).did. | US-PGPUB; USPAT | OR | ON | 2011/12/09 08:43 |
| S25 3 | 3 | S252 and (XML and UML) and (serializ$4 and marshall$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/12/09 08:43 |

S25 4	59	(US-20050005261-$ or US-20030065533-$ or US-20030221184-$ or US-20050044197-$ or US-20020184401-$ or US-20040025110-$ or US-20040015834-$ or US-20030196168-$ or US-20020165872-$ or US-20030098880-$ or US-20030014439-$ or US-20020161688-$ or US-20020108101-$ or US-20030149934-$ or US-20040015829-$ or US-20040177093-$ or US-20020059566-$ or US-20040210913-$ or US-20030233365-$ or US-20030105837-$ or US-20050050311-$ or US-20040210554-$ or US-20040133855-$ or US-20030208473-$ or US-20030037181-$ or US-20020152283-$).did. or (US-20020099738-$ or US-20020104068-$ or US-20020015042-$ or US-20030208505-$ or US-20030163603-$).did. or (US-7099727-$ or US-7076766-$ or US-7043732-$ or US-7028306-$ or US-6964053-$ or US-6560633-$ or US-6889360-$ or US-6874146-$ or US-6415275-$ or US-7188332-$ or US-7114149-$ or US-7058886-$ or US-7103600-$ or US-7043481-$ or US-7426521-$ or US-6920461-$ or US-6327698-$ or US-5848273-$ or US-7000219-$ or US-7086065-$ or US-7210097-$ or US-7693973-$ or US-6408311-$ or US-6636242-$ or US-7152228-$ or US-7559066-$).did. or (US-6901585-$ or US-7143101-$).did.	US-PGPUB; USPAT	OR	ON	2011/12/09 13:23
S25 5	11	S254 and (class same ((type value) near4 accessor) introspection reflection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/09 13:23
S25 6	8	S255 and (UML and XML)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/09 13:24
S25 7	2	S254 and (file near4 border)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/09 13:39

S25 8	3	S254 and editor and (copy and paste)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/09 13:51
S25 9	59	(US-20050005261-$ or US-20030065533-$ or US-20030221184-$ or US-20050044197-$ or US-20020184401-$ or US-20040025110-$ or US-20040015834-$ or US-20030196168-$ or US-20020165872-$ or US-20030098880-$ or US-20030014439-$ or US-20020161688-$ or US-20020108101-$ or US-20030149934-$ or US-20040015829-$ or US-20040177093-$ or US-20020059566-$ or US-20040210913-$ or US-20030233365-$ or US-20030105837-$ or US-20050050311-$ or US-20040210554-$ or US-20040133855-$ or US-20030208473-$ or US-20030037181-$ or US-20020152283-$).did. or (US-20020099738-$ or US-20020104068-$ or US-20020015042-$ or US-20030208505-$ or US-20030163603-$).did. or (US-7099727-$ or US-7076766-$ or US-7043732-$ or US-7028306-$ or US-6964053-$ or US-6560633-$ or US-6889360-$ or US-6874146-$ or US-6415275-$ or US-7188332-$ or US-7114149-$ or US-7058886-$ or US-7103600-$ or US-7043481-$ or US-7426521-$ or US-6920461-$ or US-6327698-$ or US-5848273-$ or US-7000219-$ or US-7086065-$ or US-7210097-$ or US-7693973-$ or US-6408311-$ or US-6636242-$ or US-7152228-$ or US-7559066-$).did. or (US-6901585-$ or US-7143101-$).did.	US-PGPUB; USPAT	OR	ON	2011/12/09 16:11
S26 0	8	S259 and multi-tier$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/09 16:12
S26 1	8	S259 and helper and (XML DOM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/09 16:32

S262	7	S259 and (aggregation and association) and UML	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/09 16:51
S263	881	(SQL query$3 queries) near5 (call invocation message RMI database) with (proxy proxies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/10 13:52
S264	1	((XML ((SAX XMI) and schema)) same (metamodel UML OMG)) and S263	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/10 13:53
S265	127	((XML ((SAX XMI) and schema)) and (Microsoft ".NET")) and S263	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/10 13:55
S266	668	((OMG and "Use case") "Rationale Rose" UML) and "XML schema"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/10 13:55
S267	1	S265 and S266	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/10 13:55
S268	121	S265 and (SOAP messag$3 (Java near class)) and (XML ((database DTD) near3 schema))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/10 13:56
S269	5	S268 and @rlad< "20030930" and proxy with ((message invocation RMI call) and ((database near quer$3) SQL))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/10 13:58

EAST Search History (Prior Art)

S27 0	3	"20040068567"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/12/10 14:03
S27 1	61	(US-20050005261-$ or US-20030065533-$ or US-20030221184-$ or US-20050044197-$ or US-20020184401-$ or US-20040025110-$ or US-20040015834-$ or US-20030196168-$ or US-20020165872-$ or US-20030098880-$ or US-20030014439-$ or US-20020161688-$ or US-20020108101-$ or US-20030149934-$ or US-20040015829-$ or US-20040177093-$ or US-20020059566-$ or US-20040210913-$ or US-20030233365-$ or US-20030105837-$ or US-20050050311-$ or US-20040210554-$ or US-20040133855-$ or US-20030208473-$ or US-20030037181-$ or US-20020152283-$).did. or (US-20020099738-$ or US-20020104068-$ or US-20020015042-$ or US-20030208505-$ or US-20030163603-$ or US-20040181537-$ or US-20040068567-$).did. or (US-7099727-$ or US-7076766-$ or US-7043732-$ or US-7028306-$ or US-6964053-$ or US-6560633-$ or US-6889360-$ or US-6874146-$ or US-6415275-$ or US-7188332-$ or US-7114149-$ or US-7058886-$ or US-7103600-$ or US-7043481-$ or US-7426521-$ or US-6920461-$ or US-6327698-$ or US-5848273-$ or US-7000219-$ or US-7086065-$ or US-7210097-$ or US-7693973-$ or US-6408311-$ or US-6636242-$ or US-7152228-$ or US-7559066-$).did. or (US-6901585-$ or US-7143101-$).did.	US-PGPUB; USPAT	OR	ON	2011/12/10 14:11
S27 2	1	S271 and (commit near4 operation) same (database row column)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/12/10 14:12

EAST Search History (Interference)

		<This search history is empty>			